

according to 29 CFR 1910.1200(g)

freeprint® denture 385

Revision date: 02/22/2023 Product code: 1115 Page 1 of 11

1. Identification

Product identifier

freeprint® denture 385

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data sheet

Company name: DETAX GmbH
Street: Carl-Zeiss-Straße 4
Place: D-76275 Ettlingen

Telephone: +49 7243/510-0 Telefax: +49 7243/510-100

e-mail: post@detax.com Internet: www.detax.com

Responsible Department: This number is only obtainable during office hours

(Monday - Thursday 8.00 a.m. - 5.00 p.m., Friday 8.00 a.m. - 4.00 p.m.)

Emergency phone number: +1-800-424-9300 (CHEMTREC worldwide)

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Respiratory or skin sensitization: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 2

Label elements

29 CFR Part 1910.1200

Signal word: Warning

Pictograms:





Hazard statements

May cause an allergic skin reaction

Toxic to aquatic life with long lasting effects

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

Wash contaminated clothing before reuse.

If exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/ container in accordance with local and national regulations.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

Mixtures



according to 29 CFR 1910.1200(g)

freeprint® denture 385

Revision date: 02/22/2023 Product code: 1115 Page 2 of 11

Chemical characterization

Mixture of acrylic/ methacrylic resins with auxilliary matters.

Hazardous components

CAS No	Components	Quantity
41637-38-1	Ethoxylated bisphenol A dimethacrylate	40 - < 60 %
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	20 - < 40 %
6606-59-3	1,6-hexanediol dimethacrylate	0,1 - < 5 %
868-77-9	2-hydroxyethyl methacrylate	0,1 - < 5 %
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	0,1 - < 5 %
27813-02-1	Hydroxy propyl methacrylate	0,1 - < 5 %
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	0,1 - < 5 %

4. First-aid measures

Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

 $\label{lem:co-ordinate} \mbox{ Co-ordinate fire-fighting measures to the fire surroundings.}$

Specific hazards arising from the chemical

Non-flammable.

Special protective equipment and precautions for fire-fighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Supress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures





according to 29 CFR 1910.1200(g)

freeprint® denture 385

Revision date: 02/22/2023 Product code: 1115 Page 3 of 11

General advice

Provide adequate ventilation. Do not breathe gas/fume/vapor/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

Keep away from spontaneous flammable or combustible substances.

Further information on storage conditions

Keep only in the original container in a dry and well-ventilated place, away from foodstuffs. Keep away from all kind of ligth. An inert gas blanket should not be applied, because the stability of the product depends on the presence of oxygen (air).

8. Exposure controls/personal protection

Control parameters

Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is

DETAX GmbH



Safety Data Sheet

according to 29 CFR 1910.1200(g)

freeprint® denture 385

Revision date: 02/22/2023 Product code: 1115 Page 4 of 11

recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: liquid:

Color: gingiva coloured Odor: faintly like esters

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

315 °C

boiling range: Flammability

Solid/liquid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

Flash point: >100 °C DIN 51755 Auto-ignition temperature: 445 °C

Auto-ignition temperature: 445 °C

Decomposition temperature: >=190 °C

pH-Value: not determined

Water solubility: The study does not need to be conducted

because the substance is known to be insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapor pressure: <1 hPa

(at 20 °C)

Density (at 20 °C): 1,1 g/cm³ DIN 51757

Relative vapour density: not determined

Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate: not determined Solid content: not determined

10. Stability and reactivity

Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability





according to 29 CFR 1910.1200(g)

freeprint® denture 385

Revision date: 02/22/2023 Product code: 1115 Page 5 of 11

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Reacts with: strong oxidising agents, strong alcaline or acidic materials.

Conditions to avoid

Ultra-violet ligth and dayligth initiate polymerisation of the product. Therefore keep only in tigthly closed containers away from any sources of ligth at 15°C - 28°C / 59°F - 82 °F.

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 248712,5 mg/kg; ATE (dermal) 6936,5 mg/kg



according to 29 CFR 1910.1200(g)

freeprint® denture 385

Revision date: 02/22/2023 Product code: 1115 Page 6 of 11

CAS No	Components							
	Exposure route	Dose		Species	Source	Method		
41637-38-1	Ethoxylated bisphenol A dimethacrylate							
	oral	LD50 mg/kg	2000	Rat	OECD 423			
	dermal	LD50 mg/kg	2000	Rat	OECD 402			
72869-86-4	7,7,9(or 7,9,9)-trimethyl-	4,13-dioxo-3	,14-dioxa-5,1	12-diazahexadecane-1,16-	diyl bismethacrylate			
	oral	LD50 mg/kg	>5000	Rat	OECD 401			
	dermal	LD50 mg/kg	>2000	Rat	OECD 402			
868-77-9	2-hydroxyethyl methacry	2-hydroxyethyl methacrylate						
	oral	LD50 mg/kg	5564	Rat				
	dermal	LD50 mg/kg	>5000	Rabbit				
75980-60-8	diphenyl(2,4,6-trimethylb	enzoyl)phos	phine oxide					
	oral	LD50 mg/kg	>5000	Rat				
	dermal	LD50 mg/kg	>2000	Rat				
27813-02-1	Hydroxy propyl methacrylate							
	oral	LD50 mg/kg	>2000	Rat	OECD 401			
	dermal	LD50 mg/kg	>5000	Rabbit				
162881-26-7	phenyl bis(2,4,6-trimethy	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide						
	oral	LD50 mg/kg	>2000	Rat	OECD 401			
	dermal	LD50 mg/kg	>2000	Rat	OECD 402			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

May cause an allergic skin reaction (7,7,9(or 7,9,9)

-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate; 2-hydroxyethyl methacrylate; diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; Hydroxy propyl methacrylate; phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.
Carcinogenicity (IARC): No ingredient of this mixture is listed.
Carcinogenicity (NTP): No ingredient of this mixture is listed.





according to 29 CFR 1910.1200(g)

freeprint® denture 385

Revision date: 02/22/2023 Product code: 1115 Page 7 of 11

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

12. Ecological information

Ecotoxicity

Toxic to aquatic life with long lasting effects.



according to 29 CFR 1910.1200(g)

freeprint® denture 385

Revision date: 02/22/2023 Product code: 1115 Page 8 of 11

CAS No	Components								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
41637-38-1	Ethoxylated bisphenol A	ylated bisphenol A dimethacrylate							
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oncorhynchus mykiss (Rainbow trout)	OECD 203			
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Pseudokirchneriella subcapitata	OECD 201			
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna (Big water flea)	OECD 202			
72869-86-4	-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacryla								
	Acute fish toxicity	LC50 mg/l	10,1	96 h			OECD 203		
	Acute algae toxicity	ErC50 mg/l	0,21	72 h			OECD 201		
	Acute crustacea toxicity	EC50 mg/l	>1,2	48 h	Daphnia magna (Big water flea)	OECD 202			
868-77-9	2-hydroxyethyl methacryla	ate							
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oryzias latipes		OECD 203		
	Acute algae toxicity	ErC50	836 mg/l	72 h	Selenastrum capricornutum		OECD 201		
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna		OECD 202		
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide								
	Acute algae toxicity	ErC50 mg/l	>2,01	72 h	Pseudokirchneriella subcapitata				
	Acute crustacea toxicity	EC50 mg/l	3,53	48 h	Daphnia magna (Big water flea)				
	Acute bacteria toxicity	(EC50 mg/l)	>1000	3 h	Activated sludge				
27813-02-1	Hydroxy propyl methacrylate								
	Acute fish toxicity	LC50	493 mg/l	96 h	Leuciscus idus (golden orfe)				
	Acute algae toxicity	ErC50 mg/l	>97,2	72 h	Pseudokirchneriella subcapitata	OECD 201			
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna (Big water flea)	OECD 202			
162881-26-7	phenyl bis(2,4,6-trimethyl	benzoyl)-ph	osphine oxide	е					
	Acute fish toxicity	LC50 mg/l	>0,09	96 h	Danio rerio (zebrafish)	OECD 203			
	Acute algae toxicity	ErC50 mg/l	>0,26	72 h	Desmodesmus subspicatus	OECD 201			
	Acute crustacea toxicity	EC50 mg/l	>1,175	48 h	Daphnia magna (Big water flea)	OECD 202			
	Crustacea toxicity	NOEC mg/l	>0,008	21 d	Daphnia magna (Big water flea)	OECD 211			
	Acute bacteria toxicity	(EC50 mg/l)	>100	3 h	OECD 209				

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.



according to 29 CFR 1910.1200(g)

freeprint® denture 385

Revision date: 02/22/2023 Product code: 1115 Page 9 of 11

Partition coefficient n-octanol/water

CAS No	Components	Log Pow
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	3,39
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1
27813-02-1	Hydroxy propyl methacrylate	0,97
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	5,8

BCF

CAS No	Components	BCF	Species	Source
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphi ne oxide	47-55	Cyprinus carpio (Common Carp)	
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl) -phosphine oxide	<5	Cyprinus carpio (Common Carp)	OECD 305

Mobility in soil

The product has not been tested.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

14. Transport information

Marine transport (IMDG)

UN number or ID number: UN 3082

<u>UN proper shipping name:</u> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Contains: 7,7,9(or 7,9,9)

-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismetha

crylate

Transport hazard class(es):9Packing group:IIIHazard label:9Marine pollutant:YES

Special Provisions: 274, 335, 969

Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-F

Other applicable information (marine transport)

Flash point: > 100°C



according to 29 CFR 1910.1200(g)

freeprint® denture 385

Revision date: 02/22/2023 Product code: 1115 Page 10 of 11

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number: UN 3082

<u>UN proper shipping name:</u> ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Contains: 7,7,9(or 7,9,9)

-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismetha

crylate

Transport hazard class(es): 9
Packing group: III
Hazard label: 9

Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A97 A158 A197

30 kg G

Y964

Excepted quantity:

E1

IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 450 L
IATA-packing instructions - Cargo: 964
IATA-max. quantity - Cargo: 450 L

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

Special precautions for user

No dangerous good in sense of this transport regulation.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No dangerous good in sense of this transport regulation.

15. Regulatory information

U.S. Regulations

National regulatory information

SARA Section 311/312 Hazards:

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate (72869-86-

4): Immediate (acute) health hazard

1,6-hexanediol dimethacrylate (6606-59-3): Immediate (acute) health hazard

2-hydroxyethyl methacrylate (868-77-9): Immediate (acute) health hazard

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (75980-60-8): Immediate (acute) health hazard

Hydroxy propyl methacrylate (27813-02-1): Immediate (acute) health hazard

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide (162881-26-7): Immediate (acute) health hazard

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other information

Revision date: 22.02.2023 Revision No: 1,12

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances





according to 29 CFR 1910.1200(g)

freeprint® denture 385

Revision date: 02/22/2023 Product code: 1115 Page 11 of 11

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOFC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Other data

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)